


# OTTIMO™

COLLECTION



1200x1800mm-9mm | 798x1598mm-9mm



**Simpolo®**

Tiles & Bathware



OTTIMO  
COLLECTION

26 COLORS  
STRONGX (MATT), PGVT (GLOSSY) &  
PAPER MATT SURFACES  
IN  
1200x1800mm, 798x1598mm  
9mm THICKNESS

**AN ASSORTMENT OF CERAMIC  
EXCELLENCE FOR URBAN SETTINGS**

Introducing an exquisite assortment of ceramic excellence tailored to elevate urban living spaces featuring two new revolutionary surfaces - Glossy, Paper Matt, and Strongx Surfaces delivering exactly what their names promise. Each surface is meticulously designed to meet the demands of modern living and their aesthetic needs.

Whether you seek the timeless allure of classic designs or the contemporary appeal of cutting-edge patterns, the Ottimo Collection with exquisite surfaces has something to suit every style and preference. The diverse range encompasses a multitude of styles, sizes, and finishes, offering you an unparalleled selection for your design aspirations.

Designed exclusively for  
'SPACERA' and 'WINDORA' dealers' segments.

OTTIMO  
COLLECTION

# PAPER MATT

SURFACE

EXPERIENCE THE BEAUTY & INNOVATION  
OF NON-REFLECTIVE SURFACE

The all-new and innovative Paper Matt Surface of the Ottimo Collection from the house of Simpolo as the name suggests is characterized by its smooth, non-reflective texture that resembles the surface of a matt paper. This finish is designed for its ability to reduce glare and produce a soft, muted appearance, making it a preferred

choice. The finish offers a visual appeal and tactile experience with practical benefits. It minimizes fingerprints and smudges, enhancing durability and longevity additionally, it can improve aesthetics reducing the interference of harsh light reflections.



Linear thermal expansion



Robinson floor tested



Stain resistance



Thermal conductivity



Chemical resistance



Design Randomness



OTTIMO  
COLLECTION

# STRONGX

S U R F A C E

## DISCOVER FORMIDABLE SURFACE UNEQUALLED IN STRENGTH

Strongx Surface is a strong and formidable surface that possesses exceptional durability, resilience, and strength, capable of withstanding various types of stress, wear, and external forces. The exclusive surface is engineered to endure harsh conditions and challenging environments,

making them highly reliable and long-lasting. In addition, the physical attributes of this formidable surface often convey a sense of security, stability, and trust in architectural design. They instill confidence and peace of mind in those who rely on them for safety and structural support.



**Low water absorption**



**Frost resistance**



**Modulus of rupture**



**Slip resistance**




**Resistance to deep abrasion**



**Fire resistance**

Strongx Surface by Sempolo is a ceramic creation that is exceptionally durable, scratch-resistant, super easy to clean and maintain, has no shine, and is ideal for various applications.



1) The top layer of the surface is scratch-resistant, has zero reflection & has a hardness rating of 8 on the Mohs scale.

2) The glaze of the surface lends it unparalleled aesthetics for versatile choice for various applications.

3) The tile body is made extremely durable with the finest raw materials & diligent processes involved in making.



CAFE

SPLINTO SILVER

Surfaces - **Strongx (Matt)**  
Thickness - **9mm**




**1200x1800mm**  
Random 6



**798x1598mm**  
Random 6

Scan for  
360° Virtual



SPLINTO GREY

Surfaces - **Strongx (Matt)**  
Thickness - **9mm**




**1200x1800mm**  
Random 6



**798x1598mm**  
Random 6

Scan for  
360° Virtual



SPLINTO CREAM

Surfaces - **Strongx (Matt)**  
Thickness - **9mm**




**1200x1800mm**  
Random **6**



**798x1598mm**  
Random **6**

Scan for  
360° Virtual



SPLINTO BARLEY

Surfaces - **Strongx (Matt)**  
Thickness - **9mm**



**1200x1800mm**  
Random **6**



**798x1598mm**  
Random **6**

Scan for  
360° Virtual





# LIVING




Wall Resina Pearl / Size 798x1598mm / Surface Strongx (Matt)

Floor Resina Ash / Size 798x1598mm / Surface Strongx (Matt)

# RO- OM


RESINA PEARL

Surfaces - **Strongx (Matt)**  
Thickness - **9mm**




RESINA ASH

Surfaces - **Strongx (Matt)**  
Thickness - **9mm**




RESINA CREAM

Surfaces - **Strongx (Matt)**  
Thickness - **9mm**



RESINA BARLEY

Surfaces - **Strongx (Matt)**  
Thickness - **9mm**




OTTIMO COLLECTION

RECEP-  
TION

AR-  
EA

Wall **Stelo Blush** / Size 1200x1800mm / Surface **Strongx (Matt)**

Floor **Stelo Blush** / Size 1200x1800mm / Surface **Strongx (Matt)**





Wall Rockberry Cream / Size 798x1598mm / Surface Strongx (Matt)

Floor Rockberry Cream / Size 798x1598mm / Surface Strongx (Matt)



## KITCHEN


STELO BLUSH

Surfaces - **Strongx (Matt)**, PGVT (Glossy)  
Thickness - **9mm**



ROCKBERRY CREAM

Surfaces - **Strongx (Matt)**, PGVT (Glossy)  
Thickness - **9mm**





OTTIMO COLLECTION

CONFERENCE

ROOM

TURKISH PEARL

Floor Turkish Pearl / Size 1200x1800mm / Surface Glossy



MASTER

Wall Siena Cream / Size 798x1598mm / Surface Strongx (Matt)



Floor Siena Cream / Size 798x1598mm / Surface Strongx (Matt)

BED-  
ROOM

TURKISH PEARL

Surfaces - **Strongx (Matt)**, PGVT (Glossy)  
Thickness - **9mm**



**1200x1800mm**  
Random **6**



**798x1598mm**  
Random **9**

Scan for  
360° Virtual



SIENA CREAM

Surfaces - **Strongx (Matt)**, PGVT (Glossy)  
Thickness - **9mm**



**1200x1800mm**  
Random **8**



**798x1598mm**  
Random **8**

Scan for  
360° Virtual



# CLOTHING

Floor Grey Wonder / Size 1200x1800mm / Surface Strongx (Matt)



# STORE

OTTIMO COLLECTION





BATH  
RO-  
OM

Wall Silver Paradise / Size **798x1598mm** / Surface **Strongx (Matt)**

Floor Silver Paradise/ Size **798x1598mm** / Surface **Strongx (Matt)**

GREY WONDER

Surfaces - **Strongx (Matt)**, PGVT (Glossy)  
Thickness - 9mm



SILVER PARADISE

Surfaces - **Strongx (Matt)**, PGVT (Glossy)  
Thickness - 9mm





SPA

Wall Pulpis Graphite / Size 1200x1800mm / Surface Strongx (Matt)



Floor Pulpis Graphite / Size 1200x1800mm / Surface Strongx (Matt)

CENTER

# COCK- TAIL BAR



OTTIMO  
COLLECTION

Wall **Dove Italia** / Size **1200x1800mm** / Surface **Strongx (Matt)**

Floor **Dove Italia** / Size **1200x1800mm** / Surface **Strongx (Matt)**

PULPIS GRAPHITE

Surfaces - **Strongx (Matt)**, PGVT (Glossy)  
Thickness - **9mm**



**1200x1800mm**  
Random 10



**798x1598mm**  
Random 10

Scan for  
360° Virtual



DOVE ITALIA

Surfaces - **Strongx (Matt)**, PGVT (Glossy)  
Thickness - **9mm**



**1200x1800mm**  
Random 8



**798x1598mm**  
Random 10

Scan for  
360° Virtual




OTTIMO COLLECTION

FASH-  
ION

BOUTI-  
QUE

Wall Carrara Vintage / Size 1200x1800mm / Surface Strongx (Matt)

Floor Carrara Vintage / Size 1200x1800mm / Surface Strongx (Matt)





Wall Riflesso White / Size 1200x1800mm / Surface Strongx (Matt)

Floor Riflesso White / Size 1200x1800mm / Surface Strongx (Matt)



## BATHROOM

CARRARA VINTAGE

Surfaces - **Strongx (Matt)**, PGVT (Glossy)  
Thickness - **9mm**



**1200x1800mm**  
Random **8**



**798x1598mm**  
Random **9**

Scan for  
360° Virtual



RIFLESSO WHITE

Surfaces - **Strongx (Matt)**, PGVT (Glossy)  
Thickness - **9mm**



**1200x1800mm**  
Random **8**



**798x1598mm**  
Random **12**

Scan for  
360° Virtual




OTTIMO COLLECTION

FIT-  
NESS

CEN-  
TER

Floor Fantacia Sand / Size 798x1598mm / Surface Strongx (Matt)





## DINING AREA

FANTACIA SAND

Surfaces - **Strongx (Matt)**, PGVT (Glossy)  
Thickness - **9mm**



**1200x1800mm**  
Random **8**



**798x1598mm**  
Random **8**

Scan for  
360° Virtual



BRESCIA ROSA

Surfaces - **Strongx (Matt)**, PGVT (Glossy)  
Thickness - **9mm**




**1200x1800mm**  
Random **6**



**798x1598mm**  
Random **7**

Scan for  
360° Virtual



# GUEST


Wall Clear Onyx / Size 1200x1800mm / Surface Paper Matt



# ROOM

Floor Clear Onyx / Size 1200x1800mm / Surface Paper Matt

OTTIMO COLLECTION





REST-  
AUR  
ANT

Wall **Pearl Beach** / Size 120x180cm / Surface **Paper Matt**

Floor **Pearl Beach** / Size 120x180cm / Surface **Paper Matt**

OTTIMO COLLECTION

CLEAR ONYX

Surfaces - **Paper Matt**  
Thickness - **9mm**



Scan for  
360° Virtual




PEARL BEACH

Surfaces - **Paper Matt**  
Thickness - **9mm**



Scan for  
360° Virtual





COMMON



ROOM

Floor Platinum Aurora / Size 1200x1800mm / Surface Paper Matt

# KIT- CHEN



OTTIMO  
COLLECTION

Wall **Brescia Gold** / Size 1200x1800mm / Surface **Paper Matt**

Floor **Brescia Gold** / Size 1200x1800mm / Surface **Paper Matt**

PLATINUM AURORA

Surfaces - Paper Matt  
Thickness - 9mm



1200x1800mm  
Random 6



798x1598mm  
Random 10

Scan for  
360° Virtual



BRESCIA GOLD

Surfaces - Paper Matt  
Thickness - 9mm



1200x1800mm  
Random 8



798x1598mm  
Random 10

Scan for  
360° Virtual




OTTIMO COLLECTION

HO-  
TEL

RECE-  
PTION

Wall Rosseta Dove / Size 1200x1800mm / Surface Paper Matt

Floor Rosseta Dove / Size 1200x1800mm / Surface Paper Matt





## TV FEATURE WALL

ROSSETA DOVE

Surfaces - **Paper Matt**  
Thickness - **9mm**




**1200x1800mm**  
Random 12



**798x1598mm**  
Random 10

Scan for  
360° Virtual



ITALIA COIN

Surfaces - **Paper Matt**  
Thickness - **9mm**



**1200x1800mm**  
Random 8



**798x1598mm**  
Random 10

Scan for  
360° Virtual



## COMMONLY AFFECTED STAINS GUIDANCE

For highly aggressive cleaning caused by some common food and substances, follow the table below.

SR. NO.	SUBSTANCES	NANO TREATED SURFACE	REGULAR SURFACE
<b>A. DOMESTIC AREA</b>			
1	GREEN VEGETABLE STAIN	WET COTTON CLOTH	MILD DETERGENT
2	FRUIT STAIN	WET COTTON CLOTH	MILD DETERGENT
3	DAL-SAMBHAR	WET COTTON CLOTH	CITRIC ACID/NIMBU
4	CURRY	WET COTTON CLOTH	CITRIC ACID/NIMBU
5	TOMATO SAUCE	WET COTTON CLOTH	CITRIC ACID/NIMBU
6	SOYA SAUCE	WET COTTON CLOTH	MILD DETERGENT/CITRIC ACID/NIMBU
7	EDIBLE OIL	WET COTTON CLOTH	BAKING SODA/MILD DETERGENT/ACETONE#/TURPENTINE#
8	SINDUR OIL MIX	WET COTTON CLOTH	BAKING SODA/MILD DETERGENT/ACETONE#/TURPENTINE#
9	GHEE	WET COTTON CLOTH	BAKING SODA/MILD DETERGENT/ACETONE#/TURPENTINE#
10	COLD DRINKS	WET COTTON CLOTH	MILD DETERGENT/HOUSEHOLD CLEANER
11	TEA	WET COTTON CLOTH	MILD DETERGENT/HOUSEHOLD CLEANER/STRONG ALKALINE SOLUTION
12	COFFEE	WET COTTON CLOTH	MILD DETERGENT/HOUSEHOLD CLEANER/STRONG ALKALINE SOLUTION
13	WAX	WET COTTON CLOTH	PAINT REMOVER
14	LEAD PENCIL	WET COTTON CLOTH	PLAIN WATER/HYDROCHLORIC ACID
15	SKETCH PEN	WET COTTON CLOTH	HOUSEHOLD DETERGENT
16	NORMAL COLOUR PENCIL	WET COTTON CLOTH	HOUSEHOLD DETERGENT
17	WAX PENCIL	WET COTTON CLOTH	PAINT REMOVER
18	WATER COLOUR	WET COTTON CLOTH	PLAIN WATER
19	MARKER	WET COTTON CLOTH	DILUTE SULPHURIC ACID#/TOLUENE#/XYLENE#
20	NAIL POLISH	NAIL POLISH REMOVER	NAIL POLISH REMOVER
21	SHOE POLISH LIQUID	WET COTTON CLOTH	HOUSEHOLD DETERGENT
22	CHERRY SHOE POLISH	WET COTTON CLOTH	WET COTTON CLOTH
23	HAIR DYE	DILUTE NITRIC ACID	DILUTE NITRIC ACID
24	HAIR MEHENDI	DILUTE HYDROCHLORIC ACID	DILUTE HYDROCHLORIC ACID
25	LIPSTICKS	WET COTTON CLOTH	HYDROGEN PEROXIDE/HOUSEHOLD CLEANER
26	BLUE INK	WET COTTON CLOTH	ACETONE#/TURPENTINE#/TRICHLOROETHYLENE#
27	BLACK INK	WET COTTON CLOTH	ACETONE#/TURPENTINE#/TRICHLOROETHYLENE#
28	HAND MEHENDI	WET COTTON CLOTH	DILUTE HYDROCHLORIC ACID
29	TURMERIC	WET COTTON CLOTH	MILD DETERGENT
30	GLUE	WET COTTON CLOTH	ACETONE#/TURPENTINE#
31	UJALA	WET COTTON CLOTH	ACETONE#/TURPENTINE#/TRICHLOROETHYLENE#
32	TOMATO KETCHUP	WET COTTON CLOTH	CITRIC ACID/NIMBU
33	OLIVE OIL	WET COTTON CLOTH	BAKING SODA/MILD DETERGENT/ACETONE#/TURPENTINE#
34	MUSTARD OIL	WET COTTON CLOTH	BAKING SODA/MILD DETERGENT/ACETONE#/TURPENTINE#
<b>B. HOTEL/FAST FOOD/CAFÉ HOUSE ETC</b>			
1	DAL	WET COTTON CLOTH	CITRIC ACID/NIMBU
2	CURRY	WET COTTON CLOTH	CITRIC ACID/NIMBU
3	TURMERIC	WET COTTON CLOTH	MILD DETERGENT
4	CHILLI	WET COTTON CLOTH	MILD DETERGENT
5	EDIBLE OIL	WET COTTON CLOTH	BAKING SODA/MILD DETERGENT/ACETONE#/TURPENTINE#
6	PICKLE	WET COTTON CLOTH	CITRIC ACID/NIMBU
7	TOMATO SAUCE	WET COTTON CLOTH	CITRIC ACID/NIMBU
8	CHILLI SAUCE	WET COTTON CLOTH	BAKING SODA/MILD DETERGENT
9	SOYA SAUCE	WET COTTON CLOTH	MILD DETERGENT/CITRIC ACID/NIMBU
10	COLD DRINKS	WET COTTON CLOTH	MILD DETERGENT
11	FRUIT STAIN	WET COTTON CLOTH	MILD DETERGENT
12	WINE/ALCOHOL	WET COTTON CLOTH	MILD DETERGENT
13	TEA	WET COTTON CLOTH	MILD DETERGENT/HOUSEHOLD CLEANER
14	COFFEE	WET COTTON CLOTH	MILD DETERGENT/HOUSEHOLD CLEANER
15	ICE CREAM	WET COTTON CLOTH	MILD DETERGENT/HOUSEHOLD CLEANER
16	CIGARETTE END	WET COTTON CLOTH	HYDROCHLORIC ACID

SR. NO.	SUBSTANCES	NANO TREATED SURFACE	REGULAR SURFACE
<b>A. DOMESTIC AREA</b>			
1	PAINT	WET COTTON CLOTH	PAINT REMOVER/METHYLE ETHYL KETONE#/TOLUENE#
2	EPOXY/RESIN	WET COTTON CLOTH	TRICHLOROETHYLENE#/DICHLORO METHANE#
3	GLUE	WET COTTON CLOTH	ACETONE#/TURPENTINE#
4	RUST	WET COTTON CLOTH	HYDROCHLORIC ACID
5	TAR	WET COTTON CLOTH	TRICHLOROETHYLENE#/METHYLE ETHYL KETONE#
6	TYRE MARK	WET COTTON CLOTH	METHYLE ETHYL KETONE#
7	CEMENT	WET COTTON CLOTH	HYDROCHLORIC ACID
8	BLOOD	WET COTTON CLOTH	DILUTE NITRIC ACID
9	GREASE	WET COTTON CLOTH	DETERGENT
10	MOBIL OIL	WET COTTON CLOTH	DETERGENT
11	METHYLNE BLUE	WET COTTON CLOTH	PHOSPHORIC ACID#/HYDROCHLORIC ACID
12	IODINE	WET COTTON CLOTH	HYDROCHLORIC ACID
13	RED AGENT	WET COTTON CLOTH	WET COTTON CLOTH
14	GREEN AGENT	WET COTTON CLOTH	WET COTTON CLOTH
15	POTASSIUM PARMANGANET	WET COTTON CLOTH	HYDROCHLORIC ACID
16	VARNISH	WET COTTON CLOTH	ACETONE#/TURPENTINE#



### SINTERING TECHNOLOGY

The latest Sintering Technology is capable of reaching very high temperatures of up to 1225°C and above. Therefore the technical characteristics of ceramics are strengthened and amplified. The resultant product has high strength with a certain amount of elastic flexibility.



### IMPACT RESISTANCE

This material has incredible strength. The MOR is 40N/mm<sup>2</sup> (granite is 13.8N/mm<sup>2</sup>), breaking strength 2000N (at least 30% to 40% better than granite) and impact resistance of 0.55.



### ZERO WATER ABSORPTION (< 0.06%)

The sintering at exceptionally high temperatures renders the product resistant to scratching, staining and fading because of its near zero water absorption (> 0.06%) whereas in case of granite, it is 0.15%.



### STAIN RESISTANT

Low porosity makes these sintered surfaces impervious to harsh chemicals like bleach, hydrochloric acid and other cleaning agents. Sintered slabs are able to withstand extreme heat and can be spray painted with no irreversible damage to the material.

# INSTALLATION PROCESS FOR SIMPOLO



## HANDLING

- To prevent breakage, we recommended to keep all Large Format Tiles in their original packaging during handling.
- Tiles measuring 60x120cm or less can be handled by hand.
- To handle Large Format Tiles, we recommend to use lifting tools with a sufficient load capacity.
- The use of forklift is recommended; however, it has to be equipped with following fork details:

- Minimum length of 1.2 m if the crates are handled resting on the long side.
- Minimum length of 2.1 m if the crates are handled resting on the short side.
- It is recommended that you handle the Frame individually.



## CUTTING

- When cutting Large Format Tiles, we recommend to use professional dry cutters. Using other tools may lead to uneven cuts or breakage of the material.

It is recommended to check the cutter blade before any cut. A damaged blade increases the risk of damage.



## BLACKGROUND / BASE / SCREED

- Prepare a screed with a perfectly flat, dry, compact, dust-free surface, with no cracks or other visible damage. The ideal height difference should be no more than 3 mm, measured using a 2 m spirit level.
- In case of slightly cracked or non-solid screed, it is recommended to use as crack preventing mat between substrate & slab. Screed should have suitable

hardness and mechanical resistance to stresses due to the final uses. It should be prepared using perimeter bands & all structural expansion joints as necessary.

- It should be according to BS 8204-1-2003 or DIN 18560 standards.



## LAYING WITH ADHESIVES

- We recommend laying with this technique, which should be carried out by suitably qualified workers with appropriate equipment.
- While choosing the adhesive, we recommend you to bear in mind the following: type of Large Format Tiles (group to which they belong and size), type of surface to be tiled and intended use of room.
- Adhesive should be applied on the floor as well as on backside of tiles with 3-4 mm thickness.
- To make corrections, we recommend you to check the material before the adhesive dries.
- Adhesive will vary depending on the surface so follow manufacturer recommendation. Cementitious Adhesive (C2 Category - C2TES1) is recommended.
- Apply the adhesive onto the back of the slab with a 3 mm trowel and should be well distributed on corners & edges.


- It must be spread over in one direction only. Ideally it should be spread towards shortest direction of the tile.
- Spread the adhesive for one tile (pc) onto the floor substrate using a 15mm U-notch or a 10mm V-notch trowel and following the same direction as previously applied to the back of the slab. Adhesive should have 100% contact with tiles/substrate to avoid hollow sounding.
- It is recommended to start from the centre of the slabs and then move towards the edges.
- Tap the slab with a rubber mallet for a complete fixing ensuring the air is expelled.
- It is recommended to handle slabs with appropriate equipment.



## JOINTS

- Deciding where to position the joints is also a part of the work which should be entrusted to qualified workers.
- The joints must be positioned:
  - On structural connections (structural joints)
  - Between the wall and the floor (perimeter joints)
  - Between one tile and another (laying joints or gaps)
  - Between tiles and other materials (e.g. pairings between ceramic, linoleum, or wood).

- A 2 mm joint spacer is suggested for all sizes.
- For Large Format Tiles, a 2 mm joint is strongly recommended, as well as proper positioning of spacers on floor sides.
- With help of 2 mm spacer & thanks to a 0.8 caliber (meaning that a 120x240cm minimal size actually measures 1198x2398mm), different sized tiles can be used within a single floor pattern, while still achieving perfect laying.



## USE OF TILE LEVELLING SYSTEM DURING THE INSTALLATION

- For optimum surface performances, it is strongly recommended to use a tile levelling system.

- This solution also acts as a spacer for joints, thus contributing to make the installation more accurate.



## GROUTING

- We recommend you to use grout with the same colour as the product.
- We recommend you to wait for the adhesive to dry completely before grouting the joints.
- We also advise you to ensure there is no adhesive or dust in the joints.
- Apply the grout using rubber trowel.
- Both cement & epoxy grout can be used. It is not recommended to use grouting with coloured pigments in contrast with colour of tiles.
- We recommend you to grout no more than 4-5 square metres of tiling at a time. This applies in particular when laying textured, non-slip and polished tiles.

- You are advised to remove all excess grout from the tile surface while the grout is still wet, working in diagonal movements. This applies in particular to tiles laid in outdoor areas.
- Use a damp sponge and perfectly clean water to thoroughly clean the entire tiled surface and the joints.
- We then recommend that you dry the surface with a damp cloth.
- Considering how quickly epoxy grouts set, if these are used, we recommend you to clean the excess grout immediately with a sponge and plenty of water.
- On the day after grouting, you should give the laid tiles a second cleaning with alkaline detergents.



## CLEANING AFTER LAYING

- Thorough initial cleaning is essential to ensure the tiles a long-lasting appearance over time. It should not be carried out until at least 4 to 5 days after laying and grouting but no later than 10 days afterwards.
- For washing, we advise you to use an acid-based product, diluted according to the instructions provided by the manufacturer. However, we advise against the use of products containing hydrofluoric acid or derivatives thereof.
- It is a good idea to use a piece of unlaied tile, or a hidden part of the laid tiles, to check the resistance of the ceramic surface to the acid. This applies in particular when laying honed or polished tiles.

- When you start washing, it is worthwhile soaking the tiled surface first of all, focusing in particular on the joints. The acid solution must be left to work for no more than two minutes and must never be left to dry.
- To remove the acid solution, one of the following methods should be used: single-brush machine equipped with a non-abrasive disc, a wet vacuum, or washing by hand. After removing the solution, we recommend you rinse the tiled surface thoroughly.
- In the event that machines are used, we suggest that you finish off the job by hand in the harder to reach spots, such as the corners of the walls.



## ORDINARY CLEANING AND CARE OF SURFACES

- For ordinary cleaning, simply wash with warm water and cloths and/or soft sponges. If necessary, neutral detergents can also be used. If you have non-neutral detergents, remember to test their effects on a piece of an unlaied tile or on a hidden part of the tiled surface.
- Abrasive cleaners should not be used on glossy and/or polished tiles; this kind of detergent can be used on tiles with matt surfaces though: in the event, you should still test the effects on a piece of an unlaied tile or on a hidden part of the tiled surface.
- We also advise against the use of soaps, waxes, or rinse aids.

- To remove traces of grease or oil on the surfaces, we suggest you use detergents with organic or alkaline solvents (pH > 9), rinsing properly at the end.
- In large areas, appropriate industrial washer-dryers can be used, taking care to finish off drying by hand where necessary.
- Abrasive tools (such as metal pads or rigid brushes) should not be used on tiled surfaces.
- After installation of the floor, it should be properly covered with suitable material in order to prevent tiles from damage or scratches because of on-site processing. It is also important not to drag heavy objects across the surface to avoid scratches.

# TECHNICAL DETAIL OTTIMO COLLECTION

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/EN14411 Gr.BIa	STANDARD AS PER IS 15622:2017 Gr.BIa	METHOD OF TESTING	MEAN VALUE OF SIMPOLO
<b>Regulatory Properties</b>				
Deviation in Length and Width	±0.30 % (±1.00 mm)	±0.10 %	± 0.10 %	ISO 10545-2/ IS 13630-1
Deviation in Thickness	±5.0 % (± 0.50 mm)	±5.0 %	± 5.0 %	ISO 10545-2/ IS 13630-1
Straightness in Side	±0.30 % (± 0.80 mm)	±0.10 %	± 0.10 %	ISO 10545-2/ IS 13630-1
Rectangularity	±0.30 % (±1.50 mm)	±0.10%	± 0.10 %	ISO 10545-2/ IS 13630-1
Surface Flatness Central Curvature	±0.40 % (± 1.80 mm)	±0.50 %	± 0.20 %	ISO 10545-2/ IS 13630-1
Surface Flatness Edge Curvature	±0.40 % (± 1.80 mm)	±0.50 %	± 0.20 %	ISO 10545-2/ IS 13630-1
Surface Flatness Warpage	±0.40 % (± 1.80 mm)	±0.50 %	± 0.10 %	ISO 10545-2/ IS 13630-1
Surface Quality	>95% defects free	>95% defects free	>95% defects free	ISO 10545-2/ IS 13630-1
Small Color Difference (For Plain Colour)	ΔE <1.00	N.A.	ΔE <0.80	ISO 10545-16
Glossiness (Polished)	As per Manufacturer	N.A.	> 90	Gloss Meter 60°
<b>Structural Properties</b>				
Water Absorption	≤0.50 %	≤0.080 %	≤0.080 %	ISO 10545-3/ IS 13630-2
Bulk Density	As per Manufacturer	Min 2.20 g/cc	> 2.28 gm/cc	ISO 10545-3/ IS 13630-2
<b>Massive Mechanical Properties</b>				
Modulus of Rupture	Min. 35.0 N/mm <sup>2</sup>	Min. 35.0 N/mm <sup>2</sup>	Min. 37.0 N/mm <sup>2</sup>	ISO 10545-4/ IS 13630-6
Breaking Strength Thickness ≥7.5 mm	Min 1300.0 N	Min 1300.0 N	Min 1500.0 N	ISO 10545-4/ IS 13630-6
Breaking Strength Thickness <7.5 mm	Min 700.0 N	Min 700.0 N	Min 1000.0 N	ISO 10545-4/ IS 13630-6
<b>Surface Mechanical Properties</b>				
MOH'S Hardness #	As per Manufacturer	Min. 5	Polished 5 Min Posh, CRV, Matt 6 Min StrongX 8 Min	BS EN 15771/ IS 13630-13
Surface Abrasion Resistance #	As per Manufacturer	Min. Class II	Polished Class II Min Posh, CRV, Matt Class III Min StrongX Class IV Min	ISO 10545-7/IS 13630-11
<b>Thermal Hygrometric Properties</b>				
Moisture Expansion	Max 0.06% (0.6 mm/m)	Max 0.02 mm/m	Max 0.02 mm/m	ISO 10545-10/ IS 13630-3
Thermal Expansion (COE) at 100°C	As per Manufacturer	Max. 6.0 x 10 <sup>-6</sup>	Max. 6.0 x 10 <sup>-6</sup>	ISO 10545-8/ IS 13630-4
Thermal Shock Resistance	Min 10 Cycle	Min 10 Cycle	Min 10 Cycle	ISO 10545-9/ IS 13630-5
Impact Resistance (COR) #	Min. 0.55	Min 0.55	Min 0.55	ISO 10545-5/ IS 13630-14
Frost Resistance	As per Manufacturer	As per Manufacturer	Frost Proof	ISO 10545-12/ IS 13630-10
Crazing Resistance at 7.5 bar	4 Cycle	4 Cycle	6 Cycle	ISO 10545-11/ IS 13630-9
<b>Chemical Properties</b>				
Resistance to Staining Glazed	Min. Class 3	Min Class 1	Min. Class 4/Min. Class 1	ISO 10545-14/ IS 13630-8
Resistance to Household Chemicals & Swimming Pool Salts Glazed	Min Class GB	Min Class AA	Min Class GB/ Min Class AA	ISO 10545-13/ IS 13630-8
Resistance to Low Concentrate Acid and Alkalis Glazed	As per Manufacturer	As per Manufacturer	Min Class GLB***/ Min Class A***	ISO-10545-13/ IS 13630-8
Resistance to High Concentrate Acid and Alkalis Glazed	As per Manufacturer	As per Manufacturer	Min Class GHB***/ Min Class A***	ISO-10545-13/ IS 13630-7
<b>Safety Properties</b>				
Skid Resistance - (DCOF-Wet pendulum) ##	As per Manufacturer	As per Manufacturer	Polished : < 0.2 Matt : > 0.3 StrongX : > 0.4	ASTM E-303
Slip Resistance - (Ramp test Value)	As per Manufacturer	As per Manufacturer	Posh, CRV, Matt : R9 - R10 StrongX : R10 R11 Surface : R11	DIN 51130
Lead and Cadmium release	As per Manufacturer	N.A.	Does not yield Pb & Cd	ISO-10545-15

\* Whichever is Lower  
 \*\*\* Except Hydrofluoric Acid & it's compound  
 # Tiles Intended for use on floor  
 ## For Floor tiles, as per customer requirement

## PACKING DETAIL

PRODUCT	SIZE	ACTULE SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX
<b>Ottimo Collection</b>	120x180cm	1200x1800mm	9mm	2 pcs.	4.32 sq. mtr. 46.50 sq. ft.
	80x160cm	798x1598mm	9mm	2 pcs.	2.55 sq. mtr. 27.45 sq. ft.

# SIMPOLO EXPERIENCE CENTER / GALLERY / SHOPEE

<b>GOA (Nuvem)</b> SIMPOLO EXPERIENCE CENTER S. No. 223, Beside Kunde Suzuki, Old NH 17, Nuvem Salcete, Goa - 403 604. Mob.: +91 95298 50441	<b>AGRA</b> ARAVALI CERAMICS COMPANY (SIMPOLO GALLERY) NH. 2, Mauja Kuberpur, Near Reliance Petrol Pump, Tehsil Etmadpur, Agra. Mob.: +91 99971 77711	<b>ADONI</b> SREE MANJUNATHA SWAMY AGENCIES Sy/No: 0554/1, Yemmiganur - Aspari Bypass Road, Kurnool Adoni - 518 301 (A.P) Mob.: +91 96527 66835
<b>AMRITSAR</b> THE INDIAN MARBIE & GRANITE Shop No. 8 Ranjit, E-Block Market Opp. Chinmayya Mandhir, Punjab - 143 001. Mob.: +91 98552 03533	<b>ANGAMALLY</b> SURABHI INNOVATION PVT. LTD. 437/5, Mc Road, Vengoor, Kidangoor P.o Enakulam Angamally - 683 572 (Kerala) Mob.: +91 48424 58127	<b>BANGALORE</b> SIMPOLO GALLERY #79 /1 & 144 /1-9, Kalkere Main Road, Horamavu Village, Bangalore - 560 043. Tele.: +91 80 43007001, 43007002 Mob.: +91 99002 31333
<b>BAREILLY</b> GANGA BATH DECOR Near To Care Hospital Stadium Road - Bareilly Mob.: +91 98370 50964, 96433 07851	<b>BARODA</b> SIMPOLO MARKETING 29, Dhanlaxmi Complex, Opp. Manglaya Hall, Near Airport Char Rasta, Harni Road, Baroda. Mob.: +91 98791 60603, 99989 51003	<b>BARNALA</b> R K MARBLE HOUSE Near Bathinda T-Point, Dhanaula Road, Barnala, Punjab. Mob.: +91 98151 33046, 70091 59488
<b>BATHINDA</b> LOVELY BATH CONCEPT Opp.urang Cinema, Amrik Singh Road, Bathinda - 151 005. Mob.: +91 99882 78600	<b>BHAVNAGAR</b> H.F. INTERIORSS Plote No. 36, "Anjaney", Ground Floor, Beside D.B. Bath, Nr. Kaliyabid Water Tank, Opp. Victoriya Park, Bhavnagar. Tele.: +91 278 2560215 / 16 Mob.: +91 98252 06572	<b>BHILWARA</b> HINDUSTAN CERAMIC DISTRIBUTORS Shop No - 12, 13 Surbhi Enclave Opp. Gaytri Mandir Ashram, Ajmer Road, Bhilwara. Mob.: +91 98290 40088
<b>BHIWANI</b> SHIV GRANITES Tosham Bypass Road, Nearauto Market, Bhiwani. Mob.: +91 98132 99980	<b>BHOPAL</b> SHREE GORAJI MARBLE Plote No. A-92, Indra Vihar Colony Air Port Road, Opp. Man Bhawan Takeri, Nr. Sbi Bank Singar Chali, Bhopal. Tele.: +91 755 4061756 Mob.: +91 93000 97470, 83193 69064	<b>BHUBANESWAR</b> CERAMIC WORLD 602, Rasulgrah, Opp. Kochilei Market, Cuttack Road, Bhubneswar. Mob.: +91 92384 99102
<b>BIJAPUR</b> SIMPOLO GALLERY #201 Prakruti Colony Solapur Road Bijapur - 586 103. Mob.: +91 75677 88838, 89709 41000,	<b>BILASPUR</b> AMAR ENTERPRISES Tifra Rajpur Road Bilaspur - 495 001 (C.G) Mob.: +91 90981 31666, 94063 51320	<b>CHANDIGARH (Zirakpur)</b> New Tile World Zirakpur Patiala Road, Zirakpur (Mohali) Mob.: +91 77174 58683
<b>CHARKHI DADRI</b> R & R TRADERS Rohtak Delhi Bypass Charkhi Dadri - 127 306. Mob.: +91 76692 20000	<b>CHENNAI</b> I. K. CLASSIVA 867, Poonamallee High Road, Opp. Kilpauk Police Station, Before Sangam Theatre Kilpauk, Chennai - 600 010. Mob.: +91 98404 61888, +91 99402 52706	<b>CHERUPUZHA - KANNUR</b> C J BUILDWARE TILES AND SANITARY Cp-2/125 A9-A13, B13-B17, Cherupuzha, Kannur - 670 511. Mob.: +91 80869 44445
<b>CHIKHLI</b> PRUTHVI ENTERPRISE Chikhli Bilimora Road, Chikhli, Dist. Navsari. Tele.: +91 2634 231200 Mob.: +91 84602 31200	<b>CHIKKAMAGALURU</b> SIMPOLO GALLERY Opp:ait Girls Hostel, 2-11-15-44A, Kodava Samaja, Bypass Road , Kalyan Nagar, Chikmagalur, Karnataka - 577 102. Mob.: +91 81519 42000	<b>COIMBATORE</b> DESIGN ELEMENTS No 84, West Sambandham Road, R.S Puram, Tamil Nadu Coimbatore - 641 002. Mob.: +91 93600 40285, 99441 34364
<b>COIMBATORE</b> APEX MARBLES AND GRANITES 369, Thadagam Road, KNG Pudur, Coimbatore - 641 025. Mob.: +91 93607 66533, 97877 60601	<b>CUTTACK</b> CERAMIC SALES CORPORATION Plot No.1650/2792, Gopalpur, NH - 5, Cuttack - 753 001. Mob.: +91 92384 99114	<b>DABWALI</b> KESAR TRADING COMPANY Chauhala Road, Near Bikaner Hospital Mandi Dabwali - 125 104 (Hry) Mob.: +91 89993 04444
<b>DEHRADUN</b> AARAMBH CERAMICS #241/2, First Floor, GMS Road, Near Ballupur Chowk, Satya Vihar Ballupur, Dehradun, Uttarakhand - 248 006. Mob.: +91 72520 02000	<b>DHULIYA</b> VIRAJ CERAMICS 87/6, Opp. Hotel Sheetal, Parola Road, Balapur, Dhule - 424 001. Mob.: +91 98501 80401	<b>ERODE</b> MAVERICK (TILE STUDIO) 5, Veppampalayam, Perundurai Road, Erode - 638 112. Mob.: +91 72000 05442
<b>GANDHIDHAM</b> SIMPOLO GALLERY Sec. 1-A, Plot 91, First Floor, Gandhidham, Kutch. Mob.: +91 94267 37808	<b>GORAKHPUR</b> SRIRAM TILES Lahiri Building, Bank Road, Gorakhpur - 273 001. Mob.: +91 94152 12082	<b>GUWAHATI</b> PRP BUILDMART TRADERS PVT. LTD. PRP Nuva, 9th Mile, Opp. CRPF Camp, Baridua - 793 101, Guwahati, Meghalaya. Mob.: +91 70860 13443

## HALDWANI

MARBLE CITY STORE  
Near Vintage Green, Rampur Road,  
Haldwani, Nainital U.K - 263 139.  
Mob.: +91 98370 67625, 84779 95370

## HUBLI

KOLIWAD MARBLE AND GRANITE  
Near Manickbag Showroom,  
P.B. Road, Vidhyanagar, Hubli.  
Tele.: +91 836 2372580, 4252580

## ICHALKARANJI

SHREE TRADERS  
Pujari Mala, Near Dr. Aitwade Hospital  
Ichalkaranji - 416 115 (Kolhapur)  
Mob.: +91 94224 21202

## JAIPUR

SIMPOLO GOLDEN WINGS TILE SQUARE  
12, Dharam Nagar,  
Gopalpura Bypass,  
Jaipur, Rajasthan.  
Mob.: +91 89555 94647

## JAMMU TOWN

JAI DURGA TRADURS  
Govind Bihari Complex  
Opp. Radison Blu Narwal Chowk, Jammu.  
Mob.: +91 98580 424745, 88030 00245

## KAITHAL

CHAUDHARY SANITARY & TILES  
Cheeka Road, Bye Pass  
Kaithal - 136 027.  
Mob.: +91 99921 11033

## KARAD

HINDUSTAN CERAMICS  
Laxmi Puri, Opp. Adarsha Bhima Vastram,  
Kolhapur.  
Mob.: +91 99704 42244

## KOLHAPUR

DECOR  
Timber Market Kolhapur City  
Maharashtra - 416 012.  
Mob.: +91 94225 14361

## KOZHIKODE

SILVAN TILES GALLERY  
Kozhikode Bypass,  
Near Cyber Park Nellikkode - 673 016.  
Mob.: +91 77363 01888

## NAGAUR

WELCOME TILES AND SANITARY  
Basni Road, Nagaur - 341 001, Rajasthan.  
Mob.: +91 97840 32045, 98875 87715

## NAGAUR

OM ENTERPRISES  
Plot No. 20A,  
Sardar Patel Timber Market,  
Main Road, Ghatroad Nagpur - 440 003.  
Mob.: +91 88888 27448

## HIMMATNAGAR

CERAMIC GALLERY  
Near Kotak Mahindra Bank,  
Sabar Dairy At. Po. Hajipur,  
Ahmedabad Highway, Himmatnagar - 383 001.  
Mob.: +91 99798 93772,  
99798 75772, 73838 94772

## HYDERABAD

CERAMIC INC.  
Solanki Plaza, 8-2-293/K/307,  
Kamalapur Colony, Opp. Green Bawarchi Hotel,  
Hyderabad - 500 073.  
Mob.: +91 93464 64191

## INDORE

PARAG  
12/4 Race Course Road, Indore.  
Mob : +91 82239 05083, 07312535659/ 60

## JAIPUR

ALLIED AGENCIES  
137,new Aatish Market,  
Mansarovar, Jaipur.  
Mob.: +91 94140 57548

## JAORA

SHUBH MARBLE AND GRANITE,  
30, Industrail Area,  
Jaora (M.P.),  
Mob.: +91 98275 62933

## KAKINADA

OME AGENCIES  
#69-12-29/1, Near Spancer'S,  
Pithapuram Road,  
Kakinada - 533 005.  
Mob.: +91 95533 00022

## KAYAMKULAM

HHYS INFRAMART  
Prathangamood, Kayamkulam – 690 502.  
Mob.: +91 95674 37776

## KOTA

AASHIYANA  
285 CM Tower Shopping Center,  
Kota - 324 007, Rajasthan.  
Mob.: +91 98299 99937

## MOGA

JAI BAJRANG BALI PAINT IND.  
Amritsar Road, Vill Landehke,  
Opp. Indian Oil Petrol Pump – Moga (Panjab)  
Mob.: +91 86994 32562

## NAGERCOIL

QUALITY MARBLES AND GRANITE  
15-150 E2, TVM Main Road, Villukury (P.O)  
Nagercoil, Kanyakumari - 629 180.  
Mob.: +91 94896 00748, 99943 52589

## NAMAKKAL

SRI LAKSHMI TILES MART  
4/48-2, 4/48-3, Salem Main Road,  
Sellopampathi, Namakkal, Tamilnadu - 637 019.  
Mob.: +91 95006 66937

## HISAR

SHRI RAM TILES & SANITARYWARE  
Priti Nagar, Balsamand Road,  
Opp. Nagar Nigam, Hisar (Haryana)  
Mob.: +91 94162 44559, +91 94666 41718

## HYDERABAD

CERAMIC INC.  
HNO#4/70/37,  
Adarsh Nagar, Nagole,  
Secunderabad.  
Mob.: +91 93464 64191

## JABALPUR

SHRI RAM MINERAL  
Near Simplex Estate,  
Nagpur Road, Jabalpur (MP) - 482 003.  
Mob.: +91 88788 81111

## JALANDHAR

SIMPOLO GALLERY  
Near Shaheed Babu Labh Singh Nagar,  
Jalandhar - 144 001.  
Mob.: +91 94170 89000

## JODHPUR

SUN - DEEP TILES  
E-73, Kalptaru Shopping Center,  
Shastri Nagar,  
Jodhpur - 342 001.  
Mob.: +91 96720 11000

## KALABURAGI

Simpolo  
Sy No. 81 & 82 S.B Patil Nagar  
Chandrakant Patil School Area,  
Sedam Main Road, Kalaburagi - 585 105.  
Mob.: +91 89709 41000, 89708 41000,

## KOLHAPUR

CHANDWANI CERAMIC  
Opp. Hotel Shivtara,  
Kolhapur Sangli Road,  
Shrioli Plot No.65/6, Shrioli.  
Mob.: +91 98220 42900

## KOTTAYAM

COCHIN SANIWARES  
MC Road, Perumthurutthy, Thiruvalla, Kerala.  
Mob.: +91 94476 61224

## MOHALI

SIMPOLO GALLERY  
Plot No. 411,  
JLPL Sector 82, Mohali.  
Mob.: +91 98150 03751

## NAGPUR

NATURAL CERAMIC  
Municipal House 3163/A/388,  
Hiwari Nagar Layout, Nagpur,  
Maharashtra - 440 008.  
Mob.: +91 73878 37332, 94236 80788

## NARNAUL

SHIVA MARBLE  
Near Lehroda Flyover, Mahendergarh Road,  
Opp. Green Arcade, Madhuvan Circle  
To Green City Road, L.P. Savani Road,  
Pal. Adajan, Surat - 395 009.  
Mob.: 94670 40093, 94680 36205

## NASHIK

THE CERAMIC STUDIO  
Shop No.18, Business Bay,  
Shrihari Kute Marg, Tidke Colony,  
Mumbai Naka, Nashik - 422 002.  
Mob.: +91 88477 88888

## NEW DELHI

TECHNO STONE  
Khasra No. 12, Fatehpur Beri,  
Chattarpur Mandir Road,  
Opp. Narayani Devi Charifable Dispnsary &  
Canara Bank, New Delhi - 110 074.  
Tele.: +91 11 65456660

## PANCHKULA

CITY MARBLES  
Plot No. 126, Industrial Area Phase-1,  
Panchkula - 134 109.  
Mob.: +91 94171 71835

## PATNA

SURAJ GRANITE  
New Bypass Road,  
Near Beur More Anishabad, Patna.  
Mob.: +91 93869 04999,  
96084 13622, 90656 10244

## PUNE

STONE CAPITAL BY BHIKSHU GRANMART LLP  
Mula Road, Khadki, Pune,  
Maharashtra - 411 003.  
Mob.: +91 96076 30707

## RATIA

GROVER MARBLE STORE  
Fatehabad Road, Ratia  
Haryana - 125 051.  
Mob.: +91 98961 54268, 94663 34504

## ROHTAK

GOEL SANITARY AND HARDWARE HOUSE  
Kath Mandi, Jhajjar Road,  
Rohtak (Haryana).  
Mob.: +91 92543 59864, +91 85277 21721

## SATNA

MAHALAXMI TILES  
Near Khermai Mandir Ayoushaman,  
Hospital Road, Dist. Satna, Pin. 485 001.  
Mob : +91 94247 62988

## SILIGURI

S.S. SANITATION  
Mittal Square, 2nd Floor,  
Opp. Anandaloke Nursing Home,  
Sevoke Road, Siliguri - 734 001 (W.B)  
Mob.: +91 94340 27755

## SOLAPUR

TBK KRISHNA TILE BATH KITCHEN PVT. LTD.  
Railway lines, CS No. 8397 / 7A / 2B1,  
145/3B, Old Employment Chowk,  
Solapur - 413 007, Maharashtra.  
Mob.: +91 94235 89779

## SURAT

SIMPOLO GALLERY  
105-106, 1st Floor, Sapphire Business Hub,  
Opp. Green Arcade, Madhuvan Circle  
To Green City Road, L.P. Savani Road,  
Pal. Adajan, Surat - 395 009.  
Mob.: +91 99796 18009,

## NEEMUCH (MP)

CAPTAIN TILES CENTER  
425, Scheme No. 36 - A, Opp. Collector Office,  
Meemuch, Madhyapradesh.  
Mob.: +91 98930 60635

## NEW DELHI

TECHNOSTONE  
D - 12, Rajouri Garden,  
Main Ring Road, New Delhi - 110 027.  
Mob.: +91 98104 24718

## PANIPAT (HARYANA)

SHREE GOPAL MARBLE AND GRANITE  
Marble Market, Ugra Kheri, Sanoli Road,  
Panipat - 132 103, Haryana.  
Mob.: +91 98964 15757

## PUNE

SRI PARAM MARKETING  
Vasant Vastu, Ground Floor,  
Near Saubhagya Mangal Karyalay,  
Near City International School,  
Maharshi Nagar, Pune - 37.  
Mob.: +91 90280 11200 / 300

## PUNE (CHINCHWAD)

SHREE CHAMUNDA STONES  
S. No 19, Park, 1+2, Aakashganga Rd,  
Near Jagtap Dairy, Kshilji Colony,  
Jagtap Dairy, Kalewadi,  
Pimpri - Chinchwad, Maharashtra - 411 017.  
Mob.: +91 98811 18882

## REWA

SANJAY TILES HOUSE  
Opp. New Bus Stand,  
Near Uppal, Motors, NH-7,  
Rewa - 123 401, Madhya Pradesh  
Mob.: +91 98270 76504

## SAHARANPUR

WADHWA MARBLE & GRANITE TRADING CO.  
292, ITC Road, Near Hasanpur Chungi  
Saharanpur - 247 001.  
Mob.: +91 94121 031502

## SHIRUR

SHRIRAM TILES  
Near Vighnharta Hospital, Baburaonagar,  
Pune - Nagar Bypass, Shirur Pune- 412 210.  
Mob.: +91 98501 14721, 79725 62716

## SILIGURI

SIMPOLO SHOPEE  
Klasy Stones Besides Tradium  
Eastern By Pass - Siliguri  
Mob.: +91 94340 81818, 97333 76666

## SONIPAT

M.K. MARBLE IND  
Rathdahana Road, ITI Chowk  
Sonipat - 131 001.  
Mob.: +91 9991902031/9416012185

## TASGAON

AJANTHA TRADING COMPANY  
Sangli Road, Opp. Datta Mandir,  
Tasgaon, Dis - Sangli (Mh) 416 312.  
Mob.: +91 7756043700, 9069983700

## NEPAL

JJ MARBLE HOUSE  
G.P.O Box No. 56, 14/389, Tokha Road,  
Kalthmandu, Nepal.  
Tele.: +91 77 14381218

## NOIDA (SEC-9)

BUILD MART  
B-37, Ground Floor, Build Mart,  
Sector-9, Noida  
Mob.: +91 94160 60401

## PATIALA

SAIOM SANITARYWARES  
C-11 Ind.Area ,Focal Point  
Patiala Pin: 147 003.  
Mob.: +91 98885 80000

## PUNE

RANGOLI CERA TILES  
Sr.no.40/1 Marble Market,  
Pune - Mumbai By Pass,  
Opp. Tata Motor Showroom  
Ambegaon (K) Pune - 411 046, Maharashtra  
Mob.: +91 98817 99799, 98223 72299

## RAIPUR

UNIVERSAL PLUS  
Near Kamal Vihar Gate,  
New Dhantari Road, Raipur - 492 001 (C.G)  
Mob.: +91 98261 08200

## REWARI

AMBICA BATH & STYLE  
Dhaliaki Road, Old Harinagar Bypass  
Rewari - 123401 (HR)  
Mob.: +91 99920 80807

## SANGLI

VARDHMAN ENTERPRISE  
213, Sangli Kolhapur Road,  
Opp. Hyundai Showroom, Sangli - Ankal.  
Tele.: +91 233 2422022 / 20  
Mob.: +91 90110 93588, 89830 93588

## SHRIGONDA

SANKALP TRADERS  
Mandavgan Road,  
Shrigonda, Maharashtra - 413 701.  
Mob.: +91 94202 07676

## SIRSA

DEEPAK MARBLES  
Suratgari Bazar, Sirsa,  
Mob.: +91 98961 00032

## SRI GANGANAGAR

SHREE DECOR  
Ground Floor, Gupta Complex,  
Sukhadiya Cir, Near Bharti Convent School,  
Nagpal Colony, Sri Ganganagar,  
Rajasthan - 335 001.  
Mob.: +91 94140 94130, 94138 82130

## THRISSUR

CITY CERAMICS  
Althara Junction, Chiyiyaram,  
Thrissur, Kerala - 680 026.  
Mob.: 98465 05800



## **Simpolo Vitrified Private Limited**

Old Ghuntu Road, MORBI - 363 642. Gujarat, INDIA  
Tele.: +91 2822 241622, E-mail: [customercare@simpolo.net](mailto:customercare@simpolo.net)

### **MUMBAI**

Simpolo Gallery, Unit No.: 203, 2<sup>nd</sup> Floor, Morya Land Mark 2, Link Road, Andheri (W), Mumbai - 400 053.  
Tele.: +91 22 40167131, E-mail: [mumbai@simpolo.net](mailto:mumbai@simpolo.net)

### **AHMEDABAD**

First Floor, 103, Sumel - 2, Near Gurudwara, S. G. Highway, Bodakdev, Ahmedabad - 380 054.  
Tele.: +91 79 400 37222, +91 79 400 52220, E-mail: [ahmedabad@simpolo.net](mailto:ahmedabad@simpolo.net)

### **DELHI**

H-139, First Floor, Sector-63, Noida - 201 301, Uttar Pradesh.  
Mob.: +91 93103 90046, E-mail: [delhi@simpolo.net](mailto:delhi@simpolo.net)

### **COCHIN**

33/2380 A-A1 NH Bypass, Vysali Bus Stop, Chakkaraparambu, Cochin - 682 032.  
Mob.: +91 93493 39938, Fax: +91 4844 037118, E-mail: [cochin@simpolo.net](mailto:cochin@simpolo.net)

### **KOLKATA**

5th Floor, DD-27, Salt Lake City, Sector 1, Near Salt Lake City Center, Kolkata - 700 064. (W.B.)  
Mob.: +91 90733 53728, E-mail: [kolkata@simpolo.net](mailto:kolkata@simpolo.net)

### **CHENNAI**

Prashant Gold Tower, 5th Floor, 39-North Usman Road, T'Nagar, Chennai - 600 017, Tamilnadu.  
Mob.: +91 74348 51080, E-mail: [chennai@simpolo.net](mailto:chennai@simpolo.net)

### **LUCKNOW**

Aditya Tower, 1st Floor, CP-8 Vijyant Khand, Gomati Nagar, Lucknow - 226 010.  
Mob.: +91 97252 79749, E-mail: [lucknow@simpolo.net](mailto:lucknow@simpolo.net)