



Simpolo[®]
Tiles & Bathware

PROZZO[®] **NOVA**

1200x1800mm, 798x1598mm, 600x1200mm



Armani Natura

Authentic Marble-inspired Expressions


Simpolo has consistently pushed the boundaries of innovation with the Prozzo Collection, evolving it over the years into a successful series. Prozzo Nova is an addition of thoughtfully crafted designs available in 4 unique surfaces and 3 versatile formats. Now, our innovative Feather Touch Surface is available in multiple formats. This collection offers a range of combinations suited to your space's premium aesthetics.

Prozzo Nova

Formats perfect for any space

No matter the dimension or layout of any space, Prozzo Nova offers formats designed to suit every architectural need. From expansive floor to seamless wall or intricate floor sections, the collection offers tailored solutions to fit any project, large or small, for a seamless, functional, and sophisticated lay.

The collection is available in carefully curated and versatile formats of 1200x1800mm, 798x1598mm, and 600x1200mm, available in 8.5mm and 9mm thicknesses. The thicknesses and the versatile array of formats ensure the effortless and aesthetic flow of design and function in residential and commercial spaces.



Formats
1200x1800mm
798x1598mm
600x1200mm

Thickness
9mm
9mm
8.5mm



Glossy
Surface



- Stain Resistant
- Non Porous
- Easy to Clean

Simpolo's Glossy finish is more than shiny; it reflects elegance. Capturing light it fills spaces with a radiance perfect for those who believe every detail should reflect sophistication.



Feather Touch
Surface



- Soft Feel
- Scratch Resistant
- Stain Resistant

Imagine the feeling of a soft touch with a subtle, natural radiance. Simpolo's Feather Touch Surface combines the beauty of matt with the elegance of a soft glow.



Pebble Matt
Surface



- Non Reflective
- Scratch Resistant
- Stain Resistant

Nature's imperfection made perfect - the Pebble Matt Surface brings the outdoors inside with its subtle tactile texture. The finish offers a grounded, organic look.



River Carving
Surface



- Intricate Details
- Stain Resistant
- Easy Maintenance

Like the gentle flow of a river carving through a stone, the River Carving Surface offers a calming and captivating texture. Every detail is an artwork with intricate details that flow.



Cold Marble

All designs are available in 1200x1800mm, 9mm | 798x1598mm, 9mm | 600x1200mm, 8.5mm



Design	Surfaces				Random Faces			Tile Variation
	Glossy	Feather Touch	Pebble Matt	River Carving	1200x1800mm	798x1598mm	600x1200mm	
Statuario Poem	•	•	•		5	6	12	V3
Calacatta Glacier	•	•	•		6	10	24	V3
Onyx Fantasia	•	•	•		6	9	16	V3
Marmoris Grey	•	•		•	6	8	16	V2
Italus Exotica	•	•	•		6	8	16	V2
Armani Light	•	•	•		5	6	12	V3
Armani Natura	•	•	•		5	6	12	V3
Pietra Light	•	•		•	5	6	12	V3
Pietra Natura	•	•	•		5	6	12	V3
Fusio Grey	•	•	•		5	6	12	V3
Savona Grey	•	•		•	5	6	12	V3

V1 Uniform appearance
 V2 Slight variation
 V3 Moderate variation
 V4 Substantial variation

Cold Marble

Statuario Poem



Calacatta Glacier



Onyx Fantasia



Marmoris Grey



Italus Exotica




Scan for
virtual view



All designs are available in
1200x1800mm, 9mm
798x1598mm, 9mm
600x1200mm, 8.5mm

Armani Light



Armani Natura



Pietra Light



Pietra Natura



Fusio Grey



Savona Grey



Wall : Statuario Poem, Glossy, 798x1598mm
Floor : Fusio Grey, Pebble Matt, 798x1598mm





Wall : Onyx Fantasia, Glossy, 798x1598mm
Floor : Onyx Fantasia, Glossy, 798x1598mm

Wall : Onyx Fantasia, Glossy, 798x1598mm
Floor : Italus Exotica, Glossy, 798x1598mm





Wall : Armani Natura, Pebble Matt, 1200x1800mm
Floor : Armani Light, Feather Touch, 1200x1800mm





Wall : Armani Natura, Pebble Matt, 1200x1800mm
Floor : Armani Light, Feather Touch, 1200x1800mm

Wall : Savona Grey, Glossy, 600x1200mm
Floor : Savona Grey, River Carving, 600x1200mm
Basin : Savona Grey, Feather Touch, 600x1200mm
Bath Tub : Savona Grey, Feather Touch, 1200x1800mm





Wall 1 : Marmoris Grey, Glossy, 600x1200mm
Wall 2 : Calacatta Glacier, Feather Touch, 600x1200mm
Floor : Calacatta Glacier, Feather Touch, 600x1200mm



Floor : Pietra Natura, Feather Touch, 1200x1800mm

Wall 1 : Pietra Light, Pebble Matt, 1200x1800mm
Wall 2 : Pietra Natura, Feather Touch, 1200x1800mm
Floor : Pietra Natura, Feather Touch, 1200x1800mm



Warm Marble

All designs are available in
1200x1800mm, 9mm | 798x1598mm, 9mm | 600x1200mm, 8.5mm



Design	Surfaces				Random Faces			Tile Variation
	Glossy	Feather Touch	Pebble Matt	River Carving	1200x1800mm	798x1598mm	600x1200mm	
Dream Onyx Cream	•	•	•		5	6	12	V4
Fosina Cream	•	•	•		5	7	15	V2
Roman Oro	•	•		•	6	8	16	V3
Sarda Cream	•	•	•		5	6	12	V3
Sarda Beige	•	•	•		5	6	12	V3
Marmoris Cream	•	•		•	6	8	16	V2
Lava Bres	•	•	•		4	8	16	V3
Beach Bres	•	•	•		6	8	16	V3
Italus Ivory	•	•	•		6	9	16	V3
Italus Beige	•	•	•		6	9	16	V3
Perador Brown	•	•		•	6	10	22	V3
Perador Beige	•	•		•	6	10	22	V3
Dynos Beige	•	•	•		5	10	19	V3
Peramix Beige	•	•	•		6	8	15	V4

 V1 Uniform appearance
  V2 Slight variation
  V3 Moderate variation
  V4 Substantial variation

Warm Marble

Dream Onyx Cream



Fosina Cream



Roman Oro



Sarda Cream



Sarda Beige



Marmoris Cream



Lava Bres



Beach Bres



Scan for
virtual view



All designs are available in
1200x1800mm, 9mm
798x1598mm, 9mm
600x1200mm, 8.5mm

Italus Ivory



Italus Beige



Perador Brown



Perador Beige




Dynos Beige



Peramix Beige





Wall : Fosina Cream, Feather Touch, 1200x1800mm



Wall : Fosina Cream, Feather Touch, 1200x1800mm
Floor : Fosina Cream, Feather Touch, 1200x1800mm

Wall : Roman Oro, River Carving, 798x1598mm
Bed Backdrop : Peramix Beige, Glossy, 1200x1800mm
Floor : Peramix Beige, Pebble Matt, 798x1598mm





Wall : Italus Beige, Glossy, 798x1598mm
Floor : Italus Ivory, Feather Touch, 798x1598mm

Wall 1 : Italus Beige, Glossy, 798x1598mm
Wall 2 : Italus Ivory, Glossy, 798x1598mm
Stairs : Italus Beige, Pebble Matt, 1200x1800mm
Floor : Italus Ivory, Feather Touch, 798x1598mm





Wall : Sarda Cream, Glossy, 798x1598mm
Floor : Sarda Beige, Pebble Matt, 798x1598mm



Wall : Sarda Cream, Glossy, 798x1598mm
Floor : Sarda Beige, Pebble Matt, 798x1598mm



Wall : Beach Bres, Pebble Matt, 600x1200mm
Floor : Lava Bres, Feather Touch, 600x1200mm
Vanity Top : Beach Bres, Pebble Matt, 600x1200mm



Floor : Lava Bres, Feather Touch, 798x1598mm

Wall : Lava Bres, Feather Touch, 798x1598mm
Floor : Lava Bres, Feather Touch, 798x1598mm





Wall : Marmoris Cream, Glossy, 600x1200mm
Floor : Marmoris Cream, Feather Touch, 600x1200mm

Wall : Marmoris Cream, Glossy, 600x1200mm

Floor : Marmoris Cream, Feather Touch, 600x1200mm





Wall 1 : Perador Brown, Feather Touch, 798x1598mm
Wall 2 : Perador Beige, Feather Touch, 798x1598mm
Floor : Perador Brown, River Carving, 798x1598mm



TECHNICAL SPECIFICATION

Technical Specification - Group: Bla				
CHARACTERISTIC	ISO13006:2018/ EN14411 Group Bla	IS 15622:2017 Group Bla	SIMPOLO MEAN VALUE	METHOD OF TESTING
Regulatory Properties: Rectified Size				
*Deviation in Length and Width	±0.30 % (±1.00 mm)	±0.10 %	±1.0 mm (±0.20 %)	ISO 10545-2/ IS 13630-1
*Deviation in Thickness	±5.0 % (± 0.50 mm)	±5.0 %	±0.5 mm (±5.0 %)	ISO 10545-2/ IS 13630-1
*Straightness in Side	±0.30 % (± 0.80 mm)	±0.10 %	±0.8 mm(±0.20 %)	ISO 10545-2/ IS 13630-1
*Rectangularity	±0.30 % (±1.50 mm)	±0.10%	±1.2 mm(±0.20 %)	ISO 10545-2/ IS 13630-1
*Surface Flatness Central Curvature	±0.40 % (± 1.80 mm)	±0.50 %	±1.8 mm(±0.20 %)	ISO 10545-2/ IS 13630-1
*Surface Flatness Edge Curvature	±0.40 % (± 1.80 mm)	±0.50 %	±1.8 mm(±0.20 %)	ISO 10545-2/ IS 13630-1
*Surface Flatness Warpage	±0.40 % (± 1.80 mm)	±0.50 %	±1.8 mm(±0.20 %)	ISO 10545-2/ IS 13630-1
Surface Quality	>95% defects free	>95% defects free	>95% defects free	ISO 10545-2/ IS 13630-1
Small Color Difference (For Plain Colour)	ΔE <1.00	N.A.	ΔE <0.80	ISO 10545-16
Glossiness (Polished)	As per Manufacturer	N.A.	> 90	Gloss Meter 60°
Structural Properties:				
Water Absorption	≤0.50 %	≤0.080 %	≤0.080 %	ISO 10545-3/ IS 13630-2
Bulk Density	As per Manufacturer	Min 2.20 g/cc	>2.28 gm/cc	ISO 10545-3/ IS 13630-2
Massive Mechanical Properties				
Modulus of Rupture	Min. 35.0 N/mm ²	Min. 35.0 N/mm ²	Min. 37.0 N/mm ²	ISO 10545-4/ IS 13630-6
Breaking Strength Thickness ≥7.5 mm	Min 1300.0 N	Min 1300.0 N	Min 1500.0 N	ISO 10545-4/ IS 13630-6
Breaking Strength Thickness <7.5 mm	Min 700.0 N	Min 700.0 N	Min 1000.0 N	ISO 10545-4/ IS 13630-6
Surface Mechanical Properties				
MOH'S Hardness #	As Per Manufacturer	Min. 5	Polished 4 Min	BS EN 15771/ IS 13630-13
			Posh, CRV, Matt 6 Min	
			Evermatt 7 Min	
			StrongX 8 Min	
			Sabbia Matt 6 Min	
			Pebble Matt 6 Min	
Surface Abrasion Resistance #	As per Manufacturer	Min. Class II	Polished Class II Min	ISO 10545-7/ IS 13630-11
			Posh, CRV, Matt Class III Min	
			Evermatt Class III Min	
			StrongX Class IV Min	
			Sabbia Matt Class III Min	
			Pebble Matt Class III Min	
Thermal Hygrometric Properties				
Moisture Expansion	Max 0.06% (0.6 mm/m)	Max 0.02 mm/m	Max 0.02 mm/m	ISO 10545-10/ IS 13630-3
Thermal Expansion (COE) at 100°C	As per Manufacturer	Max. 6.0 x 10 ⁻⁶	Max. 6.0 x 10 ⁻⁶	ISO 10545-8/ IS 13630-4
Thermal Shock Resistance	Min 10 Cycle	Min 10 Cycle	Min 10 Cycle	ISO 10545-9/ IS 13630-5
Impact Resistance (COR) #	Min. 0.55	Min 0.55	Min 0.55	ISO 10545-5/ IS 13630-14
Frost Resistance	As per Manufacturer	As per Manufacturer	Frost Proof	ISO 10545-12/ IS 13630-10
Crazing Resistance at 7.5 bar	4 Cycle	4 Cycle	6 Cycle	ISO 10545-11/ IS 13630-9
Chemical Properties				
Resistance to Staining Glazed	Min. Class 3	Min Class 1	Min. Class 4/Min. Class 1	ISO 10545-14/ IS 13630-8
Resistance to Household Chemicals & Swimming Pool Salts Glazed	Min Class GB	Min Class AA	Min Class GB/Min Class AA	ISO 10545-13/ IS 13630-8
Resistance to Low Concentrate Acid and Alkalis Glazed	As per Manufacturer	As per Manufacturer	Min Class GLB***/Min Class A***	ISO-10545-13/ IS 13630-8
Resistance to High Concentrate Acid and Alkalis Glazed	As per Manufacturer	As per Manufacturer	Min Class GHB***/Min Class A***	ISO-10545-13/ IS 13630-7
Safety Properties				
Skid Resistance - (DCOF-Wet pendulum) ##	As per manufacturer	As per manufacturer	Polished : <0.2	ASTM E-303
			Posh, CRV, Matt : >0.3	
			Evermatt : >0.3	
			StrongX : >0.4	
			Sabbia Matt : >0.3	
			Pebble Matt : >0.3	
Slip Resistance (Ramp test Value)	As per manufacturer	As per manufacturer	Posh, CRV, Matt : R9	DIN 51130
			StrongX : R10	
			R11 Surface : R11	
			Pebble Matt : R9	
Lead and Cadium release	As per manufacturer	N.A.	Does not yield Pb & Cd	ISO-10545-15

* Whichever is Lower
 *** Except Hydrofluoric Acid & it's compound
 # Tiles Intended for use on floor
 ## For Floor tiles, as per customer requirement

PACKAGING INFO

SIZE	THICKNESS	PSC/BOX	COVERAGE AREA/BOX	NOMINAL SIZE (cm)	ACTUAL SIZE (mm)
1200x1800mm	9mm	2 pcs	46.50 sq.ft	120x180	1200x1800
798x1598mm	9mm	2 pcs	27.45 sq. ft.	80x160	798x1598
600x1200mm	8.5mm	3 pcs	23.25 sq.ft	60X120	600x1200

Simpolo Vitrified Private Limited

Old Ghuntu Road, Morbi - 363 642 Gujarat, INDIA
Tele.: +91 2822 241622, E-mail: customercare@simpolo.com

MUMBAI

Simpolo Gallery, Unit No.: 203, 2nd Floor, Morya Land Mark 2, Link Road, Andheri (W), Mumbai - 400 053.
Mob.: +91 63573 01413, E-mail: mumbai@simpolo.com

AHMEDABAD

1st Floor, 103, Sumel - 2, Near Gurudwara, S. G. Highway, Bodakdev, Ahmedabad - 380 054.
Mob.: +91 79400 37222, +91 79400 52220, E-mail: ahmedabad@simpolo.com

DELHI

H - 139, 1st Floor, Sector 63, Noida - 201 301.
Mob.: +91 93103 90046, E-mail: delhi@simpolo.com

KOCHI

33/2380 A-A1 NH Bypass, Vysali Bus Stop, Chakkaraparambu, Kochi - 682 032.
Mob.: +91 93493 39938, E-mail: cochin@simpolo.com

KOLKATA

5th Floor, DD-27, Salt Lake City, Sector 1, Near Salt Lake City Center, Kolkata - 700 064. (W.B.)
Mob.: +91 90733 53728, E-mail: kolkata@simpolo.com

CHENNAI

No. 39, 5th Floor, Prashanth Gold Tower, North Usman Road, T. Nagar, Chennai - 600 017.
Mob.: +91 99252 51848, E-mail: chennai@simpolo.com

LUCKNOW

Aditya Tower, 1st Floor, CP-8 Vijyant Khand, Gomati Nagar, Lucknow - 226 010.
Mob.: +91 97252 79749, E-mail: lucknow@simpolo.com

BENGALURU

2th Floor, 15th Cross Road, Outer Ring Rd, 5th Phase, J. P. Nagar, Bengaluru, - 560 078.
Mob.: +91 99094 18222, E-mail: bengaluru@simpolo.com

HYDERABAD

Plot No. 231, Road No. 36, Near Check-post Metro Station, Jubilee Hills Hyderabad - 500 034.
Mob.: +91 74860 64824, E-mail: hyderabad@simpolo.com